

According to Regulation (EC) No 1907/2006 (REACH) & EC 1272/2008 (CLP)

Creation data: 29.02.2012

Revision data: 01.03.2017

page 1 of 6

1:IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Product name: 12 g CO2 chargers

CAS No: 124-38-9

EC No (from EINECS): 204-696-9

According to EC 1272/2008 (CLP) Gas under pressure -Compressed Gas- CLP Pressure Gas -H280. Classification EC 67/548 or EC 1999/45: Not classified as dangerous substance/mixture; Not included in

Annex IV; No EC labeling required.

Labeling regulation according to EC 1272/2008 (CLP):

REACH: listed in Annex IV / Vof EC 1907/2006 exempted from registration

1.2 Relevant identified uses of the substance and uses advised against:

1.2.1 Relevant identified uses

Whipped Cream-Dressing / Mousses & Other Desserts / Food-grade

1.2.2 Uses advised against:

Not available.

1.3 Details of the supplier of the safety data sheet:

Mosa Industrial Corp.

18, Kehu 3Rd. Huwei, Yunlin 63247, Taiwan

www.twmosa.com Phone: +886 5 6361867 Fax : +886 5 6312770

1.4 Emergency telephone Number: +886 5 6361867

2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Hazard Class and Category Code Regulation EC 1272/2008 (CLP)

• Physical hazards : Gases under pressure - Compressed gas - Warning - (CLP : Press. Gas) - H280 Classification EC 67/548 or EC 1999/45 :

Not classified as dangerous substance/mixture.

Not included in Annex VI.

No EC labelling required.

2.2 Label elements

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms

Hazard pictograms code: GHS04

Signal word : Warning

- Hazard statements: H280 Contains gas under pressure; may explode if heated.
- Precautionary statements
- Storage: P403 Store in a well-ventilated place.

Labelling EC 67/548 or EC 1999/45 : No EC labelling required.

2.3. Other hazards

: Asphyxiant in high concentrations.

Contact with liquid may cause cold burns/frostbite.



According to Regulation (EC) No 1907/2006 (REACH) & EC 1272/2008 (CLP)

3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Preparation: Substance.

Components/Impurities

Carbon Dioxide.

CAS No: 124-38-9

Einecs No: 204-696-9

According to EC 1272/2008 (CLP) Gas under pressure -Compressed Gas- CLP Pressure Gas -

H280.

Classification EC 67/548 or EC 1999/45: Not classified as dangerous substance/mixture; Not

included in Annex IV; No EC labeling required.

Labeling regulation according to EC 1272/2008 (CLP):

REACH: listed in Annex IV / Vof EC 1907/2006 exempted from registration

4: FIRST AID MEASURES

4.1 Description of first aid measures

4.1.1 Inhalation: Conscious persons should be assisted to an uncontaminated area and

inhale

fresh air. Quick removal from the contaminated area is most important. Unconscious persons should be moved to an uncontaminated area, given assisted resuscitation and supplemental oxygen. Further treatment should

be symptomatic and supportive.

4.1.2 Ingestion: None

4.1.3 Skin Contact:

Flush affected areas with lukewarm water. DO NOT USE HOT WATER. A physician should see the patient promptly if the cryogenic "burn" has resulted in blistering of the dermal surface or deep tissue freeezing.

4.1.4 Eye Contact:

Persons with potential exposure to liquid nitrous oxide should not wear

contact wear contact lenses.

5: FIRE-FIGHTING MEASURES

Flash Point (Method Used) Flammable Limits LEL: Not applicable UEL: Not applicable

Non - flammable Autoignition Temperature: Not determined NFPA Class: None

General Hazards:

Product is not flammable or combustible. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

Extinguishing Media

Carbon dioxide, water, water fog, dry chemical, chemical foam.

Fire Fighting Procedures

Self - contained respiratory equipment; cool containers to prevent pressure buildup and possible explosion when exposed to extreme heat.

Unsual Fire and Explosion Hazards

Closed containers can explode due to buildup of pressure when exposed to extreme heat. Contents under pressure. Do not use or store near heat sources.

Hazardous Combustion Products

Smoke, fumes or vapors, oxides of carbon.

According to Regulation (EC) No 1907/2006 (REACH) & EC 1272/2008 (CLP)

6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions

Evacuate area. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. Ensure adequate air ventilation.

6.2 Environmental precautions:

Try to stop release. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

6.3 Clean up methods:

Ventilate area.

7: HANDLING AND STORAGE

Handling: Keep container closed when not in use; protect containers from abuse;

protect from extreme temperatures, keep away from sources of heat. Do not puncture container. Do not attempt to refill container. Keep away from direct sunlight and heat. Never dispose of full chargers. Never force open. Keep out of reach of children and minors. If container is punctured, gas will escape and freeze container, use hand-protection and obviate direct

contact with container to avoid cold-burns.

Storage: Do not heat. Maximum environmental temperature in use not to exceed

50°C (122°F). Store in a cool and dry location.

Packaging materials Recyclable steel

Recommended use: Use original container.

8: EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering controls: The use of local exhaust ventilation is required to control emissions near

the source. Provide mechanical ventilation of confined spaces.

Personal protection

Respiratory system: None required while threshold limits are kept below maximum allowable

concentrations; if TWA exceeds limits, NIOSH approved respirator must be

worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for

complete regulations.

Protective gloves: Utilize appropriate gloves for protection needed from cold, based on exposu

Eue Protection : Chemical safety goggles. Refer to 29 CFR 1910.133 or European

Standard EN166.

Other protective clothing

or equipment :

Safety eyewash station nearby.

Work/Hygienic practices: Practice safe workplace habits. Minimize body contact with this, as well as

all chemicals in general.

According to Regulation (EC) No 1907/2006 (REACH) & EC 1272/2008 (CLP)

9: PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties of CO2 (E290--99% CO2)

Vapor pressure at 20 °C (68 °F): 58 kg/cm2

Vapor density at 20 $^{\circ}$ C (68 $^{\circ}$ F),1 atm (Air = 1) 1.52

Evaporation point: Not Available

Melting point (CO2 Sublimes): - 56.6° C (- 69.9° F)

Boiling point: - 78.5° C (- 109.3° F)

Specific gravity: Not Available

Solubility (H20): 0.82 g/L at 15 °C, 100 kPa

Odor and appearance: A colorless, odorless gas.

Pressure / Temperature 57 bar at 20 °C 838 lbf/in2 at 68 °F Characteristics at filling

2680 lbf/in2 at 122 °F 185 bar at 50 °C density of 0.78 kg/liter:

> 290 bar at 70 °C 4200 lbf/in2 at 158 °F

> 425 bar at 100 °C 6160 lbf/in2 at 212 °F

> 470 bar at 110 °C 6815 lbf/in2 at 230 °F

Parameter of 12g CO2 charger

METRIC UNITS **US / IMPERIAL UNITS**

Overall Length (approx): 83.0 mm 3.27 in

Body Diameter: 18.6 mm 0.73 in

Neck Diameter: 7.2 mm 0.28 in

14.5 ml min. 0.88 in³ min. Internal Volume (approx):

Net weight of CO2 (approx): 12 g 0.48 oz

Tare wt. of charger (approx): 30 g 1.20 oz

Gross wt. of charger (approx) 42 g 1.68 oz

>500 bar >7250 lbf/in2 Bursting pressure:

10: STABILITY AND RELIABILITY

The product is stable. Stability:

Strong oxidizers, strong acids. Materials to avoid:

Products:

Hazardous Decomposition Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be

produced.

According to Regulation (EC) No 1907/2006 (REACH) & EC 1272/2008 (CLP)

11: TOXICOLOGICAL INFORMATION					
Hazardous Ingredients	CAS#		LD50 of Ingredient Specify Species and Route)	LC50 of Ingredient (Specify Species)	
Carbon dioxide	124-38-9	204-696-9 Ir	nformation not found	Inhalation-Rat 160 mg/m³/4 h	

12: ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

13: DISPOSAL CONSIDERATIONS

Waste Dipposal Method: Dispose of in accordance with Local, State, and Federal Regulations. This product may produce concentrated hazardous vapors in a disposal container creating a dangerous environment. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals. Do not flush to sanitary sewer or waterway.

14: TRANSPORT INFORMATION

Non hazardous

UN No: UN 1013 CARBON DIOXIDE

Special Provision 584

Class: 2.2

Title:

This gas is not subject to the requirements of ADR when:

A capsule contains not more than 25 g of this gas.

15: REGULATORY INFORMATION

EU Regulations

Components of this product identified by CAS numbers are on the

European Inventory of Existing Commercial Chemical Substances.

Hazard symbol(s):

COMPRESSED GAS

Classification: Harmful

Risk Phrases: R20- Harmful by inhalation.

Safety Phrases: S38 - In case of insufficient ventilation, wear suitable respiratory equipment.

Contains: CO2

Safety Data Sheet
According to Regulation (EC) No 1907/2006 (REACH) & EC 1272/2008 (CLP)

16: OTHER INFORMATION						
Specific toxicity tests have not been conducted on this product. Our hazard evaluation is based on Information from similar products, the ingredients, technical literature, and/or professional experience.						
HMIS Hazard Ratings	Health 1 Flammability 0 Physical Hazard 0 Personal Protective Equipment B	* = Chronic Health Hazard 0 = Insignificant 1 = Slight Safety Glasses, Gloves	2 = Moderate 3 = High 4 = Extreme			